

Web Images Videos Maps News Shopping Gmail more ▾

SKMummert@gmail.com | My Account | Sign out

Google scholar (tagged or tailed) and primer Search Advanced Scholar Search Scholar Preferences

Scholar Articles and patents ▾ anytime ▾ include citations ▾ Results 1 - 10 of about 25,600. (0/2)

The elimination of **primer-dimer accumulation** in PCR- ► [nih.gov](#) [PDF]  
J Brownie, S Shawcross, J Theaker, D ... - Nucleic acids ..., 1997 - Oxford Univ Press  
... The subsequent amplification is then driven entirely by the **Tag primers**. **Tag-driven PCR** is also favoured by incorporating the **Tag primer** at a higher concentration relative to the **tailed genomic primer** analogous to Tags as used in MVR-PCR (16). ...  
Cited by 131 - Related articles - BL Direct - All 18 versions

Targeted oncogene activation by site-specific recombination in transgenic mice- ► [pnas.org](#) [PDF] - Full View  
M Lakso, B Sauer, B Mosinger, EJ Lee, ... - Proceedings of the ..., 1992 - National Acad Sciences  
... osly described plasmid paA366a-T (17) by inserting to the BamHI site between maA and **TAG** a 1.3-kbp Stop fragment flanked by directly ... For PCR analysis, mouse **tail DNAs** (2 µg) were amplified by 35 cycles (1 min 20 sec, 92°C; 1 min, 65°C; 1 min ... The 5' **primer** for cre was 5'- ...  
Cited by 466 - Related articles - All 8 versions

Molecular determinants in TRPV5 channel assembly- ► [jbc.org](#)  
Q Chang, E Gyftogianni, SFJ van de Graaf, S Hoefs, ... - Journal of Biological ..., 2004 - ASBMB  
... (For HA-tagged TRPV5 N-tail, forward **primer** 5'-ATGTACCCATACGACGTGCC  
AGACTACGCAGGGCCTGTCCACCCAAGG-3' and reverse **primer** 5'-  
TTAAGCGCCCGTATTCTTC-3' were used. For FLAG-tagged TRPV5 ...  
Cited by 44 - Related articles - All 9 versions

Identification of TRAF6, a novel tumor necrosis factor receptor-associated factor ...- ► [jbc.org](#)  
T Ishida, S Mizushima, S Azuma, N Kobayashi, T ... - Journal of Biological ..., 1996 - ASBMB  
... 2B). A pair of primers (**primer** a, 5'-CAAGCAGTGGGAGAGGTG-3'; **primer** b, 5'-  
GTTGCTGTCATCATCCACGAG-3') were used to ... assay, human 293T kidney cells were  
cotransfected with FLAG-tagged TRAF6 or TRAF2 and GST-tagged cytoplasmic tail of CD40 ...  
Cited by 299 - Related articles - BL Direct - All 4 versions

Methodology for using a universal **primer** to label amplified DNA segments for ...  
D Guo, DM Milewicz - Biotechnology letters, 2003 - Springer  
... are amplified using sequence-specific primers with an end-labeled **tag**, such as a fluorescent  
dye or biotin **tag**, attached to ... of the labeled universal **primer** and the sequence specific **primer**  
was 0.5 pM, while the con- centration of the **tailed** specific **primer** varied between ...  
Cited by 14 - Related articles - BL Direct - All 9 versions

[PDF] ► ... for the expression of GAL4 fusion proteins with an epitope **tag** and histidine **tail**  
R Witzgall, E O'Leary, JV Bonventre - Analytical biochemistry, 1994 - biologie.uni-r.de  
... in bold indicate the restric- tion sites for BamHI, SmaI, KpnI, PvuII, ClaI, SacI) and the reverse  
**primer** 5'-ATTTCGAAGCTTGATA ... the gel was dried and exposed to X-ray film at -80°C. RESULTS  
**Biological Activity of an Epitope-Tagged, Histidine- Tailed Fusion Protein We ...**  
Cited by 16 - Related articles - BL Direct - All 6 versions

Specific detection of hepatitis C virus minus strand RNA in hematopoietic cells.- ► [nih.gov](#) [PDF]  
H Lerat, F Berby, MA Traubad, O Vidalin, ... - Journal of Clinical ..., 1996 - pubmedcentral.nih.gov  
... **Primer** sets ... (7) for the de- tection of HCV negative strand RNA from tissue culture sam-  
ples, that the use of **tagged** (or **tailed**) primers enhances the sensitivity and reduces

self-priming events for the detection of negative strand RNA molecules. ...

Cited by 200 - Related articles - BL Direct - All 6 versions

► **Ligand binding and structural analysis of a human putative cellular retinol-binding ...**

C Folli, V Calderone, I Ramazzina, G Zanotti, R ... - Journal of Biological ... 2002 - ASBMB

... The clone containing the expressed sequence **tag** sequence A1694572 in plasmid pT7T3D-Pac was purchased from ... Deep Vent DNA polymerase (BioLabs) and two sequence-specific primers, an **NdeI-tailed upstream primer** (5'-CTCATATGCCGCGCCGACCTCAGC-3' ...

Cited by 34 - Related articles - BL Direct - All 4 versions

**Mining and characterizing microsatellites from citrus ESTs**

C Chen, P Zhou, YA Choi, S Huang, FG Gmitter - TAG Theoretical and Applied ... 2006 - Springer

... An additional 0.05 IM dye-labeled M13 was added to the above PCR mix containing the M13-tailed forward **primer**, to amplify fluorescent products. ... **primer** Reverse **primer** Size b SO product Po product Allele ... CCCACAAC ATTCGGAGTGTTCAGAGAG TAG 105 102 120 ...

Cited by 53 - Related articles - BL Direct - All 4 versions

[PDF] ► **Universal primer cocktails for fish DNA barcoding**

NV Ivanova, TS Zemlak, RH Hanner, PD ... - Molecular Ecology Notes, 2007 - bolinfonet.org

... Amplification and sequencing proto- cols will remain unaffected so long as these new primers contain the same M13 **tag** and target the same ... M13-tailed **primer** cocktails (COI-2, COI-3) consistently produced reads averaging 30 or more base pairs longer than those from untaild ...

Cited by 40 - Related articles - View as HTML - BL Direct - All 4 versions

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

(tagged or tailed) and primer

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google